


# PB S280-18ES 4x4

## Self-propelled Mega-Scissor lift





















27,56 m Working height

1,80 m Total width

indoor + outdoor



## Technical specifications

	Working height	27,56 m		Platform extension (scissors)	2,25 m
	Platform height	25,56 m		Gradeability	25 %
	Lift capacity	900 kg (indoor) / 750 kg (outdoor)		Speed - stowed	1,44 km/h
	Lift capacity platform extension	-		Speed - raised	0,13 km/h
	Total length	6,60 m		Drive type	Electro-hydraulic drive
	Total width	1,80 m		Battery capacity	Ah
	Total height	4,22 m		Area of application	indoor + outdoor
	Turning radius outside	6,30 m		People indoor	4
	Transport height	3,27 m		People outdoor	4
	Total weight	23.000 kg		Drivable at full height	Yes

## Product description

- With the PB S280-18ES 4x4 with a working height of 27.56 m, you are ideally equipped for maintenance, installation and assembly work of all kinds, both indoor and outdoor
- With a Mega-Deck platform of max. 8.40 m x 1.80 m size and strong 900 kg (indoor) / 750 kg (outdoor) lift capacity, the working platform provides a secure job at height for up to 4 people
- With its emission-free electro-hydraulic drive the 1.80 m narrow working platform is predestined for long-lasting, large scale use, especially in enclosed spaces
- A standard proportional control ensures that the machines performs all movements (lifting, lowering, driving) smooth and precisely

We reserve the right to make technical changes / improvements.



Platformers Business

PB Liftechnik GmbH | Gewerbegebiet Gassenäcker | 89429 Oberbechingen

Telefon: +49 (0) 90 77 - 95 00 - 0 | Telefax: +49 (0) 90 77 - 95 00 - 40

E-Mail: [info@pblift.de](mailto:info@pblift.de) | Website: [pblift.de](http://pblift.de)



# PB S280-18ES 4x4

## Self-propelled Mega-Scissor lift

27,56 m Working height


1,80 m Total width

indoor + outdoor



- The combination of 4-wheel-drive and standard differential lock gives the working platform sufficient propulsion and the necessary balance when used on hard-to-drive, roughly grounds
- Within a short period, the standard automatic outrigger system levels roughness of the floor and creates a great plus of stability

## Product diagram



We reserve the right to make technical changes / improvements.



Platformers **B**usiness

PB Liftechnik GmbH | Gewerbegebiet Gassenäcker | 89429 Oberbechingen

Telefon: +49 (0) 90 77 - 95 00 - 0 | Telefax: +49 (0) 90 77 - 95 00 - 40

E-Mail: [info@pblift.de](mailto:info@pblift.de) | Website: [pblift.de](http://pblift.de)



# PB S280-18ES 4x4

Self-propelled Mega-Scissor lift

27,56 m Working height

1,80 m Total width

indoor + outdoor



## Product images



We reserve the right to make technical changes / improvements.



Platformers Business

PB Lifttechnik GmbH | Gewerbegebiet Gassenäcker | 89429 Oberbechingen

Telefon: +49 (0) 90 77 - 95 00 - 0 | Telefax: +49 (0) 90 77 - 95 00 - 40

E-Mail: [info@pblift.de](mailto:info@pblift.de) | Website: [pblift.de](http://pblift.de)

